

According to Regulations 1907/2006/EC and 1272/2008 (CLP) and Regulation (EU) 2020/878 of 18 June 2020.

Date of issue: 03. 01. 2017.

Edition: 03

Replaces revision 02 Revised on: 11/24/2023

Page 1 to 10

MY OCEAN MATIC

SECTION 1: IDENTIFICATION OF THE SUBSTANCE OR THE MIXTURE AND OF THE COMPANY/ UNDERTAKING

1.1 Product identifiers

MY OCEAN MATIC

Product code: please contact sales department

UFI: 7Y00-A0V8-V009-3AGE

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Dishwasher detergent.

Preparation for professional use.

1.3 Details of the supplier of the safety data sheet

Company: Ocean Service Ltd.

Address: 1 "Pordp. Dimitar Filov" Str , Stara Zagora,

Bulgaria

Phone: (+359 2) 857 00 20

(+359 897) 883 436

e-mail Office@oceanservice
Internet: www.oceanservice.bg
Contact person Nina Georgieva

email of the person in charge person/issuer nina

ninadiamandieva75@gmail.com

1.4 Emergency telephone number National Toxicology Information Center,

General Hospital for Active treatment and

emergency medicine "N.I. Pirogov": Emergency

telephone / fax: +359 2 9154 233 E-mail:

poison_centre@mail.orbitel.bg

http://www.pirogov.bg Access restrictions: no

access restrictions 24 hours a day

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in according to Regulation (EU) No. 1272/2008

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

For the full text of the H- Statements mentioned in this Section, see Section 16

2.2 Label elements

Labelling in according Regulation (EU) No. 1272/2008

Pictogram



According to Regulations 1907/2006/EC and 1272/2008 (CLP) and Regulation (EU) 2020/878 of 18 June 2020.

Date of issue: **03. 01. 2017**.

Edition: 03

Replaces revision 02 Revised on: 11/24/2023

Page 2 to 10

MY OCEAN MATIC



Signal word

Hazard statement(s)

H290

H314

Precautionary statement(s):

P260

P280

P303+361+353

P305 + P351 + P338

Supplemental Hazard

P310

Statements

2.3 Other hazards

A substance/mixture containing no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Environmental information:

The substance/mixture does not contain components that are considered to have the properties to destroy the endocrine system according to Article 57 (f) of the Regulation on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) or Delegated Regulation (EU) 2017/2100 of the Commission, or Regulation (EU) 2018/605 of Commission at levels of 0.1% or higher.

Toxicological information:

The substance/mixture does not contain components that are considered to have the properties to destroy the endocrine system according to Article 57 (f) of the Regulation on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) or Delegated Regulation (EU) 2017/2100 of the Commission, or Regulation (EU) 2018/605 of Commission at levels of 0.1% or higher.

Dangerous

May be corrosive to metals

Causes severe skin burns and eye damage

Do not breathe dust/fumes/gas/mist/vapours/spray. Wear protective gloves/ protective clothing/ eye

protection/ face protection

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy

to do. Continue rinsing

Immediately call a POISON CENTER/doctor



According to Regulations 1907/2006/EC and 1272/2008 (CLP) and Regulation (EU) 2020/878 of 18 June 2020.

Date of issue: 03. 01. 2017.

Edition: 03

Replaces revision 02 Revised on: 11/24/2023

Page 3 to 10

MY OCEAN MATIC

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures - Does not contain substances in nanoforms

The preparation is based on the substances listed below

Hazardous ingredients in accordance with Regulation (EC) No 1272/2008

Component		Classification	Concentration		
Sodium hydr	Sodium hydroxide				
CAS No EC No	1310-73-2 215-185-5	Met. Corr.1; Skin Corr.1A; H290, H314 Concentation limits: >= 5 %: Skin Corr.1A, H314; 2 -< 5 %: Skin Corr.1B, H314;0,5 -< 2 %: Skin Irrit.2, H315;0,5 -< 2 %: Eye Irrit.2, H319;>= 1 %: Met. Corr.1, H290;	5-15%		
Ethylenediaminetetraacetic acid tetrasodium salt					
CAS No EC No	64-02-8 200-573-9	Acute Tox.4; Eye Dam.1; STOT RE2; H302, H332, H318, H373	5-15%		

For the full text of the H-Statements mentioned in this Section, see Section 16.

Section 4: FIRST AID MEASURES

4.1 Description of first aid measures



General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed



According to Regulations 1907/2006/EC and 1272/2008 (CLP) and Regulation (EU) 2020/878 of 18 June 2020.

Date of issue: 03. 01. 2017.

Edition: 03

Replaces revision 02 Revised on: 11/24/2023

Page 4 to 10

MY OCEAN MATIC

The most important known symptoms and effects are described in the label (see section 2.2) and / or section 11

4.3 Instructions for the need of any urgent medical care and special treatment

Symptomatic treatments

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media



Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide

5.2 features which derive from the substance or mixture

No Information

5.3 Tips for firefighters.

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Additional Information

No Information

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear individually protective equipment

6.2 Environmental precautions

Take precautions to prevent the mixture from entering the soil, water, and drains into sewers. In the event of an accident and / or spillage of the mixture, measures should be taken to locate and mitigate it, and the accumulated quantity of the preparation should be temporarily stored in specially sealed and marked containers and then handed over to persons authorized to do so the order of art. 37 of the Waste Management Act (promulgated, State Gazette No 86 of 2003). Inform the relevant competent authorities - the RIEW on the territory of which the incident or spill occurred.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

6.4 Reference to other Sections

For disposal see section 13

Section 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Use only as intended. Do not eat, drink or smoke at work For precautions refer to section 2.2

7.2 Conditions for safe storage, including any incompatibilities



According to Regulations 1907/2006/EC and 1272/2008 (CLP) and Regulation (EU) 2020/878 of 18 June 2020.

Date of issue: 03. 01. 2017.

Edition: 03

Replaces revision 02 Revised on: 11/24/2023

Page 5 to 10

MY OCEAN MATIC

Store only in the original package.

Keep away from beverages and food for human and animal consumption.

7.3 Specific end use(s)

There is not specific use

Section 8: EXPOSURE CONTROL/PERSONAL PROTECTIVE EQUIPMENT

8.1 Control parameters

CAS No	Chemical agent	ppm	mg/m ³	Category
1310-73-2 Sodium hydroxide	-	2	(8 h)	
	-	-	(15 min)	

DNEL-/DMEL

CAS No	Chemical agent			
DNEL		Route of exposure Effect Val		Value
1310-73-2	Sodium hydroxide			
Worker DNEL, long-term		inhaled	local	1 mg/m³
User DNEL, long-term		inhaled	local	1 mg/m³
64-02-8	Ethylenediaminetetraacetic acid tetrasodium salt			
Worker DNEL, long-term		inhaled	local	1.5 mg/m ³

PNEC

CAGN	CI I I			
CAS No	Chemical agent			
Components of the environment		Value		
1310-73-2	1310-73-2 Sodium hydroxide			
Water				
Water (periodic 1	release)	Not applicable		
Sea water				
Freshwater sedin	nent			
Soil Not applicab		Not applicable		
64-02-8 Ethylenediaminetetraacetic acid tetrasodium salt		um salt		
Water		2,2 mg/l		
Water (periodic release)		0,22 mg/l		
Treatment plant (STP)		43 mg/l		

8.2 Exposure Control



According to Regulations 1907/2006/EC and 1272/2008 (CLP) and Regulation (EU) 2020/878 of 18 June 2020.

Date of issue: **03. 01. 2017**.

Edition: 03

Replaces revision 02 Revised on: 11/24/2023

Page 6 to 10

MY OCEAN MATIC

Appropriate engineering controls

Operate in accordance with the rules for industrial hygiene and equipment for safety. Wash hands before breaks and at the end of the working day.

Personal protective equipment

Eye/face protection





Snug-fitting protective goggles use equipment to protect eyes, tested and approved.





Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness:0.11 mm Break through time: 480 min

Splash contact

Material: Nitrile rubber

Minimum layer thickness:0.11 mm Break through time: 480 min **Respiratory Protection.**





Where risk assessment shows air-purifying respirators are appropriate use (US)or type ABEK (EN 14387) respirator cartridges as a backup to enginee protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent subsequent leaks or spills, if it is safe to do so. Do not allow the expiry of the product into sewers. To avoid discharging into the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES



According to Regulations 1907/2006/EC and 1272/2008 (CLP) and Regulation (EU) 2020/878 of 18 June 2020.

Date of issue: 03. 01. 2017.

Edition: 03

Replaces revision 02 Revised on: 11/24/2023

Page 7 to 10

No Information

MY OCEAN MATIC

9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid Color: yellow

b) Odour No

c) Odour Threshold No Information d) pH (20°C) 1 % solution 12.50-13.50

e) Melting point/freezing point 0°C f) Initial boiling point and boiling range 100°C

g) Flash point No Information

h) Evaporation rate No Information

i) Flammability (solid, gas) No Information. j) Upper/lower flammability or explosive limits No Information

k) Vapor pressure No Information 1) Vapour density No Information

m) Relative density 1.25 g/cm³ at 25 °C n) Water solubility Completely soluble o) Partition coefficient: n-octanol/water No Information

p) Auto-ignition temperature No Information q) Decomposition temperature No Information

r) Viscosity No Information s) Explosive properties No Information t) Oxidizing properties

9.2 Other safety information

No data available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

None, in case of proper use

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No Information.

10.4 Conditions to avoid

No Information

10.5 Incompatible materials

Flammable substances, strong acids and metals (magnesium, zinc, aluminum).

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Sodium oxides.

In case of fire: see section 5

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity



According to Regulations 1907/2006/EC and 1272/2008 (CLP) and Regulation (EU) 2020/878 of 18 June 2020.

Date of issue: 03. 01. 2017.

Edition: 03

Replaces revision 02 Revised on: 11/24/2023

Page 8 to 10

MY OCEAN MATIC

CAS No	Chemical agent					
	Route of	Dose	Biological	Source	Method	
	exposure	Dose	spieces	Source	Medilod	
1310-73-2	Sodium hydroxide					
	Oral	LD50 250 mg/kg	Rabbit			
	Dermal	LD50 1500 mg/kg	Rat			
64-02-8	Ethylenediaminetetraacetic acid tetrasodium salt					
	Oral	LD50 2800 mg/kg	Rat	OECD	401	

Skin corrosion/irritation

No Information

Serious eye damage/eye irritation

Moderate irritation

Respiratory or skin sensitisation

No Information

Germ cell mutagenicity

No Information

Carcinogenicity

IARC: None of the components of this product with a percentage content greater than or equal to 0.1% has not been identified by the IARC as a likely, suspected or confirmed human carcinogen

Reproductive toxicity

No Information

Specific target organ toxicity -single exposure

No Information

Specific target organ toxicity -repeated exposure

No Information

Aspiration hazard

No Information

Additional Information

RTECS: no informationBest burn, cough, wheezing, laryngitis, shortness of breath, spasm, inflammation and laryngeal edema, spasm, inflammation and bronchial edema, pneumonitis, pulmonary edema. The material is extremely destructive to the mucous membranes and upper respiratory tract, eyes and skin. Despite our best knowledge, chemical, physical and toxicological properties have not been studied in depth.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

acc. 1272/2008 / EC: Not to be classified as dangerous for the aquatic environment. When properly low concentrations are released in adapted biological treatment plants, no biodegradation of the active sludge is expected.

Toxicity to aquatic environment (acute)



According to Regulations 1907/2006/EC and 1272/2008 (CLP) and Regulation (EU) 2020/878 of 18 June 2020.

Date of issue: 03. 01. 2017.

Edition: 03

Replaces revision 02 Revised on: 11/24/2023

Page 9 to 10

MY OCEAN MATIC

CAS No	Chemical agent					
	Aquatic toxicity	Dose	[H] [d]	Species	Source	Metho d
1310-73-2	Sodium hydroxid				u	
	Toxicity to fish	EC50 125 mg/L	96 h	Gambusia affinis	SDB Lieferant	
	Acute toxicity to crustaceans	EC50 40.4 mg/L	48 h	Ceriodaphnia	ЕСНА	
64-02-8	Ethylenediaminetetraacetic acid tetrasodium salt					
	Toxicity to fish	EC50 41 mg/L	96 h	Lepomis macrochirus	SDB Lieferant	
	Acute toxicity to crustaceans	EC50 610 mg/L	24 h	a giant water flea	ЕСНА	

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No Information

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6. Properties that disrupt the functions of the endocrine system

There are no known adverse effects on the environment caused by substances, possessing properties that disrupt the functions of the endocrine system.

12.7. Other adverse effects

No information

SECTION 13: DISPOSAL CONSIDERATIONS



13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company

Contaminated packaging

Dispose of as unused product.

SECTION 14: TRANSPORT INFORMATION

14.1 UN number

ADR/RID: 1824 IMDG: 1824 IATA: 1824

14.2 UN proper shipping name

ADR/RID: SODIUM HYDROXIDE SOLUTION SODIUM HYDROXIDE SOLUTION



According to Regulations 1907/2006/EC and 1272/2008 (CLP) and Regulation (EU) 2020/878 of 18 June 2020.

Date of issue: 03. 01. 2017.

Edition: 03

Replaces revision 02 Revised on: 11/24/2023

Page 10 to 10

MY OCEAN MATIC

IATA: Sodium hydroxide solution

14.3 Transport hazard class(es)

ADR/RID: 8 IMDG:8 IATA: 8

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant:no IATA: no

14.6 Special precautions for user

No Information

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The safety data sheet respond to the requirements of Regulation (EU) No. 1907/2006.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

H290	May be corrosive to metals
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H373	May cause damage to organs through prolonged or
	repeated exposure
P335	Brush off loose particles from skin
P260	Do not breathe dust/fumes/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye
P303+361+353	IF ON SKIN (or hair): Take off immediately all
	contaminated clothing. Rinse skin with water/shower.
P305+351+338	IF IN EYES: Rinse cautiously with water for several
	minutes. Remove contact lenses if present and easy to do -
	continue rinsing.

P310 Immediately call a POISON CENTER/doctor/

P234 Keep only in original container.

The above information shall be deemed to be true, but does not claim to be comprehensive and must be used only as a guide. Information in this document is based on our current knowledge and is applicable to the product as regards the containment measures for safety.