

According to Regulations 1907/2006/EC and 1272/2008 (CLP) and Regulation (EU) 2020/878 of 18 June 2020.

Date of issue: 03. 01. 2017.

Edition: 03

Replaces revision 02 Revised on: 11/24/2023

Page 1 to 11

### **MY OCEAN T-MAXI**

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE OR THE MIXTURE AND OF THE **COMPANY/ UNDERTAKING**

### 1.1 Product identifiers

MY OCEAN T-MAXI – detergent

Product code: please contact sales department

UFI: 6H00-T0E9-A00T-SMK3

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** 

Car wash detergent for heavily polluted cars and trucks.

# 1.3 Details of the supplier of the safety data sheet

Company: Ocean Service Ltd.

Address:

1 "Pordp. Dimitar Filov" Str, Stara Zagora,

Bulgaria

Phone: (+359 2) 857 00 20

(+359 897) 883 436

Office@oceanservice e-mail www.oceanservice.bg Internet:

Contact person Nina Georgieva

email of the person in charge person/issuer

1.4 Emergency telephone number

ninadiamandieva75@gmail.com

National Toxicology Information Center, General Hospital for Active treatment and

emergency medicine "N.I. Pirogov": Emergency

telephone / fax: +359 2 9154 233 E-mail:

poison\_centre@mail.orbitel.bg

http://www.pirogov.bg Access restrictions: no

access restrictions 24 hours a day

### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1 Classification of the substance or mixture

Classification in according to Regulation (EU) No. 1272/2008

Corrosive to metals (category 1), H290

Skin corrosion (category 1A), H314

Causes serious eye damage (category 1), H318

For the full text of the H- Statements mentioned in this Section, see Section 16

#### 2.2 Label elements

Labelling in according Regulation (EU) No. 1272/2008

Pictogram



According to Regulations 1907/2006/EC and 1272/2008 (CLP) and Regulation (EU) 2020/878 of 18 June 2020.

Date of issue: **03. 01. 2017**.

Edition: 03

Replaces revision 02 Revised on: 11/24/2023

Page 2 to 11

### **MY OCEAN T-MAXI**



Signal word

Hazard statement(s)

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage

Danger

H318 Causes serious eye damage

Precautionary statement(s)

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

Wear protective gloves/ protective clothing/ eye protection/ P280

face

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several P305+P351+P338

minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 Immediately call a POISON CENTER/doctor

Supplemental Hazard none

Statements

### 2.3 Other hazards

A substance/mixture containing no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Environmental information:

The substance/mixture does not contain components that are considered to have the properties to destroy the endocrine system according to Article 57 (f) of the Regulation on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) or Delegated Regulation (EU) 2017/2100 of the Commission, or Regulation (EU) 2018/605 of Commission at levels of 0.1% or higher.

Toxicological information:

The substance/mixture does not contain components that are considered to have the properties to destroy the endocrine system according to Article 57 (f) of the Regulation on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) or Delegated Regulation (EU) 2017/2100 of the Commission, or Regulation (EU) 2018/605 of Commission at levels of 0.1% or higher.

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**



According to Regulations 1907/2006/EC and 1272/2008 (CLP) and Regulation (EU) 2020/878 of 18 June 2020.

Date of issue: 03. 01. 2017.

Edition: 03

Replaces revision 02 Revised on: 11/24/2023

Page 3 to 11

# **MY OCEAN T-MAXI**

### 3.2 Mixtures

Does not contain substances in nanoforms

Hazardous ingredients in accordance with Regulation (EC) No 1272/2008

Component		Classification	Concentration		
Sodium hydroxide					
CAS No	1310-73-2	Met. Corr.1; Skin Corr.1A;			
The EU No	215-185-5	H290, H314			
REACH No	01-2119457892-27-0065	Concentration limits:			
		>= 5 %: Skin Corr.1A, H314;			
		2 - < 5 %: Skin Corr.1B,	15-30%		
		H314;0,5 - < 2 %: Skin Irrit.2,			
		H315;0,5 - < 2 %: Eye Irrit.2,			
		H319;>= 1 %: met. Corr.1,			
		H290;			
1-Hydroxyetl	nylidenediphosphonic acid				
CAS No	2809-21-4	Met. Corr.1; Acute Tox.4;			
EU No	220-552-8	Eye Dam.1; H290, H302,	5-15%		
		H318			
Alcohols, C12	2-15, ethoxylated				
CAS No	68131-39-5	Acute Tox.4;			
		Eye Dam.1; Aquatic Eventually	15-25%		
		3	13-23%		
		H302, H318, H400			

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **Section 4: FIRST AID MEASURES**

### 4.1 Description of first aid measures



### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

### If swallowed



According to Regulations 1907/2006/EC and 1272/2008 (CLP) and Regulation (EU) 2020/878 of 18 June 2020.

Date of issue: 03. 01. 2017.

Edition: 03

Replaces revision 02 Revised on: 11/24/2023

Page 4 to 11

# **MY OCEAN T-MAXI**

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Instructions for the need of any urgent medical care and special treatment

Symptomatic treatments

### **SECTION 5: FIREFIGHTING MEASURES**

### 5.1 Extinguishing media



### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 features which derive from the substance or mixture

No Information

### 5.3 Tips for firefighters.

Wear self-contained breathing apparatus for firefighting if necessary.

# **5.4 Additional Information**

No Information

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.

### **6.2 Environmental precautions**

To take measures to prevent the introduction of the mixture in the soil, water, and release in the sewer. In the case of an accident and/or leakage of the mixture, measures to be taken for its localization and restriction and the amount collected from the preparation to be stored temporarily in special fitting and marked containers, then to be transmitted to persons holding an authorisation under the Waste Act

### 6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

### **6.4 Reference to other Sections**

For disposal see section 13

# **Section 7: HANDLING AND STORAGE**

### 7.1 Precautions for safe handling

To be used only for the intended purpose. Do not eat, drink and smoke during operation



According to Regulations 1907/2006/EC and 1272/2008 (CLP) and Regulation (EU) 2020/878 of 18 June 2020.

Date of issue: 03. 01. 2017.

Edition: 03

Replaces revision 02 Revised on: 11/24/2023

**Page 5 to 11** 

# **MY OCEAN T-MAXI**

For safety precautions see section 2.2

### 7.2 Conditions for safe storage, including any incompatibilities

To be stored in a well-ventilated and dry spaces below the key in well-closed original packaging at room temperature  $(5-25C^{\circ})$ . To keep away from sources of ignition and heat. To be stored separately from food and drinks.

# 7.3 Specific end use(s)

There is not specific use

# Section 8: EXPOSURE CONTROL/PERSONAL PROTECTIVE EQUIPMENT

### **8.1 Control parameters**

Limit values of the chemical agents in the air of the working environment

CAS No	Chemical agent	Ppm	mg/m <sup>3</sup>	Category
1310-73-2	Sodium hydroxide	-	2	(8 hours)
		-	-	(15 minutes)
2809-21-4	1-Hydroxyethylidenediphosphonic	No Information		(8 hours)
	acid			(15 minutes)
68131-39-5	Alcohols, C12-15, ethoxylated	No Information		(8 hours)
00131-39-3				(15 minutes)

#### **DNEL-/DMEL-values**

CAS No	Chemical agent					
DNEL type		Route of exposure	Effect	Value		
1310-73-2	Sodium hydroxide	•				
Worker DNEL, lo	ong-term	inhalation		$1 \text{ mg/m}^3$		
User DNEL, long-	-term	inhalation		$1 \text{ mg/m}^3$		
Worker DNEL, lo	ng-term	Oral	Local	No Data Available		
User DNEL, long-term		Oral	Local	No Data Available		
Worker DNEL, long-term		dermal	Local	No Data Available		
User DNEL, long-term		dermal	Local	No Data Available		
2809-21-4	1-Hydroxyethylide	enediphosphonic ac	eid			
Worker DNEL, lo	ong-term	inhalation	Local	$0.9 \text{ mg/m}^3$		
User DNEL, long-term		inhalation	Local	$0.9 \text{ mg/m}^3$		
Worker DNEL, long-term		Oral	Local	No Data Available		
User DNEL, long-term		Oral	Local	No Data Available		



According to Regulations 1907/2006/EC and 1272/2008 (CLP) and Regulation (EU) 2020/878 of 18 June 2020.

Date of issue: 03. 01. 2017.

Edition: 03

Replaces revision 02 Revised on: 11/24/2023

Page 6 to 11

# **MY OCEAN T-MAXI**

CAS No	Chemical agent			
DNEL type		Route of exposure	Effect	Value
Worker DNEL, long-term		dermal	Local	No Data Available
User DNEL, long-term		dermal	Local	No Data Available
68131-39-5	Alcohols, C12-15,	ethoxylated		
Worker DNEL, long-term		inhalation	Local	No Data Available
User DNEL, long-term		inhalation	Local	No Data Available
Worker DNEL, long-term		Oral	Local	No Data Available
User DNEL, long-term		Oral	Local	No Data Available
Worker DNEL, long-term		dermal	Local	No Data Available
User DNEL, long-term		dermal	Local	No Data Available

### **8.2 Exposure Control**

# **Appropriate engineering controls**

Operate in accordance with the rules for industrial hygiene and equipment for safety. Wash hands before breaks and at the end of the working day.

### Personal protective equipment

**Eve/face protection** 



Snug-fitting protective goggles use equipment to protect eyes, tested and approved.

# **Skin protection**



Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact



According to Regulations 1907/2006/EC and 1272/2008 (CLP) and Regulation (EU) 2020/878 of 18 June 2020.

Date of issue: 03. 01. 2017.

Edition: 03

Replaces revision 02 Revised on: 11/24/2023

Page 7 to 11

Form: liquid

# MY OCEAN T-MAXI

Material: Nitrile rubber

Minimum layer thickness:0.11 mm Break through time: 480 min

Splash contact

Material: Nitrile rubber

Minimum layer thickness:0.11 mm Break through time: 480 min **Respiratory Protection**.



Where risk assessment shows air-purifying respirators are appropriate use (US)or type ABEK (EN 14387) respirator cartridges as a backup to enginee protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# Control of environmental exposure

a) Appearance

Prevent subsequent leaks or spills, if it is safe to do so. Do not allow the expiry of the product into sewers. To avoid discharging into the environment.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1 Information on basic physical and chemical properties

a)	Appearance		romi, nquiu
			Color: yellow
b)	Odour		Specific
c)	Odour Threshold		No Information
d)	pH (20°C) 1 % solution		10.0-11,00
e)	Melting point/freezing point		$0^{\circ}$
f)	Initial boiling point and boiling range		100°C
g)	Flash point		>62 °C
h)	Evaporation rate		No Information
i)	Flammability (solid, gas)		No Information.
j)	Upper/lower flammability or explosive limits	N	No Information
k)	Vapor pressure	N	No Information
1)	Vapour density	N	No Information
m)	Relative density	1	$.25 \text{ g/cm}^3 \text{ at } 25 ^{\circ}\text{C}$
n)	Water solubility	(	Completely soluble
o)	Partition coefficient: n-octanol/water	N	No Information
p)	Auto-ignition temperature	N	No Information
q)	Decomposition temperature	N	No Information
r)	Viscosity	N	No Information
s)	Explosive properties	N	No Information



According to Regulations 1907/2006/EC and 1272/2008 (CLP) and Regulation (EU) 2020/878 of 18 June 2020.

Date of issue: 03. 01. 2017.

Edition: 03

Replaces revision 02 Revised on: 11/24/2023

Page 8 to 11

### **MY OCEAN T-MAXI**

t) Oxidizing properties

No Information

### **SECTION 10: STABILITY AND REACTIVITY**

# 10.1 Reactivity

No, in the case of proper use

# 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No, in the case of proper use

### 10.4 Conditions to avoid

No Information

### 10.5 Incompatible materials

Flammable substances, strong oxidizing agents and strong acids and metals.

### 10.6 Hazardous decomposition products

Dangerous products of degradation, formed under conditions of fire - Sodium oxides.

In the event of fire: see section 5

### SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

### **Acute toxicity**

On the basis of the available data have not been met the criteria for classification

CAS No	Chemical agent					
	Route of exposure	Dose	Species	Source	Method	
1310-73-2	1	Sodium hydroxide				
	Oral	LD50 250 mg/kg	Rabbit			
2809-21-4	1-Hydroxyethylidenediphosphonic acid					
	Oral	LD50 2000 mg/kg	Rabbit			
	Dermalen	LD50>8000 mg/kg	Rabbit			
68131-39-5	Alcohols, C12-15, ethoxylated					
	Oral	LD50 1200mg/kg	Rat			
	Dermal	LD50 8000mg/kg	Rabbit			

### Skin corrosion/irritation

No Information

Serious eye damage/eye irritation

No Information

Respiratory or skin sensitisation

No Information

Germ cell mutagenicity

No Information

Carcinogenicity

No Information



According to Regulations 1907/2006/EC and 1272/2008 (CLP) and Regulation (EU) 2020/878 of 18 June 2020.

Date of issue: 03. 01. 2017.

Edition: 03

Replaces revision 02 Revised on: 11/24/2023

Page 9 to 11

# **MY OCEAN T-MAXI**

Reproductive toxicity

No Information

Specific target organ toxicity -single exposure

No Information

Specific target organ toxicity -repeated exposure

No Information

**Aspiration hazard** 

No Information

**Additional Information** 

No

### **SECTION 12: ECOLOGICAL INFORMATION**

### **12.1 Toxicity**

The information presented is based on the knowledge of the constituent substances and ecology of similar products. Ecotoxicological properties of the product are not tested. The product is classified under the conventional method. The product is not classified as dangerous for the environment.

CAS No	Chemical agent						
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method	
1310-73-2	Sodium hydro	oxide					
	Acute toxicity for fish	LC50 125mg/l	96 h	Gambusia affinis	SDB Lieferant		
	Acute toxicity for crustaceans	EC50 40.4 mg/l	48 h	Ceriodaphnia	ЕСНА		
2809-21-4	1-Hydroxyethylidenediphosphonic acid						
	Acute toxicity for fish	LC50 368 mg/l	96 h	Gambusia affinis	SDB Lieferant		
	Acute toxicity for crustaceans	EC50 3 mg/l	48 h	Daphnia magna	ЕСНА		

### 12.2 Persistence and degradability

The product is stable in air. Easily biodegradable. Surfactants shall be classified as readily biodegradable.

### 12.3 Bioaccumulative potential

On the basis of the data available on the possibility of eliminating/degradation and bioaccumulation is not likely to contaminate the environment in the long term.

### 12.4 Mobility in soil

No data available



According to Regulations 1907/2006/EC and 1272/2008 (CLP) and Regulation (EU) 2020/878 of 18 June 2020.

Date of issue: 03. 01. 2017.

Edition: 03

Replaces revision 02 Revised on: 11/24/2023

Page 10 to 11

### **MY OCEAN T-MAXI**

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6. Properties that disrupt the functions of the endocrine system

There are no known adverse effects on the environment caused by substances, possessing properties that disrupt the functions of the endocrine system.

### 12.7. Other adverse effects

No information

### **SECTION 13: DISPOSAL CONSIDERATIONS**



### 13.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company

### **Contaminated packaging**

Dispose of as unused product.

# **SECTION 14: TRANSPORT INFORMATION**

14.1 UN number

ADR/RID: 1824 IMDG: 1824 IATA: 1824

14.2 UN proper shipping name

ADR/RID: SODIUM HYDROXIDE SOLUTION IMDG: SODIUM HYDROXIDE SOLUTION

IATA: Sodium hydroxide solution

**14.3** Transport hazard class(es)

ADR/RID: 8 IMDG: 8 IATA: 8

14.4 Packaging group

The ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No Information

### **SECTION 15: REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006

### 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out



According to Regulations 1907/2006/EC and 1272/2008 (CLP) and Regulation (EU) 2020/878 of 18 June 2020.

Date of issue: 03. 01. 2017.

Edition: 03

Replaces revision 02 Revised on: 11/24/2023

Page 11 to 11

### **MY OCEAN T-MAXI**

### **SECTION 16: OTHER INFORMATION**

### Full text of H-Statements referred to under sections 2 and 3.

H290 May be Corrosive to metals. H302 Harmful if swallowed Causes severe skin burns and eye damage. H314 H315 Causes skin irritation. Causes serious eye damage H318 Causes serious eye irritation. H319 Very toxic to aquatic life H400 P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wear protective gloves/ protective clothing/ eye protection/ face P280 IF ON SKIN (or hair): Take off immediately all contaminated clothing. P303+P361+P353 Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove P305+P351+P338 contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor
The above information shall be deemed to be true, but does not claim to be

The above information shall be deemed to be true, but does not claim to be comprehensive and must be used only as a guide. Information in this document is based on our current knowledge and is applicable to the product as regards the containment measures for safety.